

NOTES:



1. TAIL TYPE-FPC GOLD PLATED.
2. PART IS ROHS COMPLIANT.
3. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY.
4. SENSOR SPECIFICATION PER QAD 19-1 (CURRENT REVISION).



REVISIONS				
REV	ECO	DESCRIPTION	DWN	DATE
A	-	INITIAL RELEASE.	JL	2-7-12
B	0289	CHANGE OCA THICKNESS FROM 0.13 TO 0.25.	AMH	5-23-12

J1	
PIN	FUNCTION
1	NC
2	SHIELD
3	Y1
4	Y2
5	Y3
6	Y4
7	Y5
8	Y6
9	Y7
10	Y8
11	Y9
12	Y10
13	Y11
14	Y12
15	Y13
16	Y14
17	Y15
18	Y16
19	Y17
20	Y18
21	SHIELD
22	NC
23	NC
24	NC

J2	
PIN	FUNCTION
1	NC
2	NC
3	NC
4	NC
5	SHIELD
6	X1
7	X2
8	X3
9	X4
10	X5
11	X6
12	X7
13	X8
14	X9
15	X10
16	X11
17	X12
18	X13
19	X14
20	X15
21	X16
22	X17
23	X18
24	X19
25	X20
26	X21
27	X22
28	X23
29	X24
30	SHIELD



DawarTouch
 1016 North Lincoln Avenue, Pittsburgh, PA 15233
 1.800.366.1904 - 412.322.9900 - Fax: 412.322.9958
 e-mail: sales@dawar.com - www.dawar.com

THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF DAWAR TECHNOLOGIES, INC. AND SHALL NOT BE COPIED, REPRODUCED, DISCLOSED, AND/OR USED AS THE BASIS FOR MANUFACTURING OR SALE WITHOUT PERMISSION OF A DULY AUTHORIZED REPRESENTATIVE OF DAWAR TECHNOLOGIES, INC.

STANDARD PRODUCT		ITEM NO. DW00005		REV B
DAWAR P/N PCAP_08.4-00001	UNIT MM [INCH]	TOLERANCE ±0.25 [0.010] UNLESS SPECIFIED	SHEET 1 OF 1	DRAWN BY JASON LIAO
DESCRIPTION 8.4" PROJECTED CAPACITIVE TOUCHSCREEN		DATE 2-7-12		