

NOTES:

1. MATING CONNECTOR: MOLEX 503480-0800 OR EQUIV.




REVISIONS				DWN	DATE
ITEM REV	DWG REV	ECO	DESCRIPTION	AMH	10-1-15
A	1	-	INITIAL RELEASE.		

1.96
MAX COMPONENT HEIGHT

CONDUCTORS FAR SIDE

TAIL THICKNESS 0.30 ±0.05



FR4 STIFFENER APPLIED FAR SIDE IN THIS AREA

MOST WELL CONNECTORS
MWFPC05PSN-H20-34 &
MWFPC05PSN-H20-24

J3	
PIN	FUNCTION
1	VDD
2	GND
3	SCL
4	SDA
5	/CHG
6	/RST
7	GPIO0
8	GPIO1

Controlled
ENGINEERING / GRAPHICS
Signed by: Cassandra Ostrowski
Dated: 10-08-15



1016 North Lincoln Avenue, Pittsburgh, PA 15233
1.800.366.1904 - 412.322.9900 - Fax: 412.322.9958
e-mail: sales@dawar.com - www.dawar.com

THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF DAWAR TECHNOLOGIES, INC. AND SHALL NOT BE COPIED, REPRODUCED, DISCLOSED, AND/OR USED AS THE BASIS FOR MANUFACTURING OR SALE WITHOUT PERMISSION OF A DULY AUTHORIZED REPRESENTATIVE OF DAWAR TECHNOLOGIES, INC.

DESCRIPTION
ATMEL mxT640T PCAP COF CONTROLLER - I2C 24X34 PIN

ITEM/DRAWING NO. CT10455-A			DWG REV 1	
UNIT MM [INCH]	TOLERANCE ±0.25 [0.010] UNLESS SPECIFIED	SHEET 1 OF 1	DRAWN BY TONY HOUSOS	DATE 10-1-15