






REVISIONS				DWN	DATE
ITEM REV	DWG REV	ECO	DESCRIPTION	EMK	05-08-19
B	1	1436	CREATED NEW COF CT11111 WITH NEW FW00863 CONFIG. FILE		



- NOTES:
1. TAIL TYPE: GOLD PLATED FPC
 2. ALL MATERIALS ARE ROHS COMPLIANT.
 3. SENSOR SPECIFICATIONS PER QAD 19-1 (CURRENT REVISION).
 4. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY.
 5. FOR USE WITH CUSTOM ATMEL INTEGRAL I2C COF, CT11111.
 6. TOUCH SENSOR:
0.55MM GLASS WITH DOUBLE-SIDED INDEX MATCHED ITO.
 7. COVER LENS:
- 1.10MM CHEMICALLY STRENGTHENED SODA LIME GLASS
- DOUBLE ROUND PENCIL GROUND EDGE
- PANTONE BLACK

J3	
PIN	FUNCTION
1	VDD
2	GND
3	SCL
4	SDA
5	/CHG
6	/RESET
7	
8	

1016 North Lincoln Avenue, Pittsburgh, PA 15233
1.800.366.1904 - 412.322.9900 - Fax: 412.322.9958
e-mail: sales@dawar.com - www.dawar.com

THIS CONFIDENTIAL DOCUMENT IS THE PROPERTY OF DAWAR TECHNOLOGIES, INC. AND SHALL NOT BE COPIED, REPRODUCED, DISCLOSED, AND/OR USED AS THE BASIS FOR MANUFACTURING OR SALE WITHOUT PERMISSION OF A DULY AUTHORIZED REPRESENTATIVE OF DAWAR TECHNOLOGIES, INC.

ITEM/DRAWING NO. DW03044-B				DWG REV 1
UNIT MM [INCH]	TOLERANCE ±0.25 [0.010] UNLESS SPECIFIED	SHEET 1 OF 1	DRAWN BY EMK	DATE 05-08-19
DESCRIPTION 4.3" GG2 PROJECTED CAPACITIVE TOUCH SENSOR				